





Conventional marking

CONVENTIONAL MARKING




- Types
- Engraved dies
- Numbering heads
- Impact presses...



STEEL TYPES


Standard interchangeable steel types



Standard types dimensions

H (mm)	1	1.5	2	2.5	3	4	5	6	8	10
A (mm)	1.5	1.5	2	2.5	3	4	5	6	8	10
B (mm)	4	4	4	6	6	8	8	10	12	14

T types



Special types, conical types, type for pistol...



TYPEHOLDERS



H (mm)	1 line	2 lines	3 lines
1 – 1,5	9 à 53 characters*	2x20 à 33 characters*	3x40 characters
2	7 à 40 characters*	2x15 à 25 characters*	3x30 characters
2,5	8 à 32 characters*	2x16 à 32 characters*	3x16 à 24 characters*
3	6 à 26 characters*	2x13 à 26 characters*	3x13 à 20 characters*
4	5 à 20 characters*	2x10 à 20 characters*	/
5	4 à 16 characters*	2x8 à 16 characters*	/
6 – 8 – 10	10 characters	/	/

Customized typeholders on demand

*according to models

Spigots :

Diameter 6 : MB15
 Diameter 8 : MB19
 Diameter 10 : MB20/21
 Diameter 16 : MB32/35
 Engraved stamps



ENGRAVED DIES

Our punches and dies are produced with treated and hardened steel. Duplication of logos (NF, CE...), signatures, drawings...



HANDSTAMPS



Sets of handstamps from 1 to 15mm, sharpened or with balls, right side up or reverse

MICRO CENTER PUNCH MC8



Punches 30/10 available on demand (other dimensions on demand)


ENGRAVING PEN

PNEUMATIC MICRO CENTER PUNCH

ELECTRICAL PEN



Pneumatic vibrating peen



Integrated

Manual

Automatic start



Electrical arc engraving

High speed marking

Low investment

NUMBERING HEADS

MANUAL AM4



SEMI AUTOMATIC AM14



AUTOMATIC AM2



CUSTOMIZED



HANDSTAMP



PNEUMATIC IMPACT PRESSES

- ▶ Pneumatic command
- ▶ Adjustable strength from 0 to 7500 Kg

MB19 0-700 Kg
MB21 0-3500 Kg
MB35 0-7500 Kg



MANUALLY IMPACT PRESSES

- ▶ Pneumatic impact presses
- ▶ Manual command
- ▶ Adjustable strength from 0 to 6500 Kg

MB15 0-600 Kg
MB20 0-3000 Kg
MB32 0-6500 Kg



PNEUMATIC IMPACT UNITS

- ▶ Designed to be integrated very easily into a production line
- ▶ Impact units with entirely pneumatic command
- ▶ Adjustable strength from 0 to 7500 Kg

MB19VP 0-700 Kg
MB21VP 0-3500 Kg
MB35VP 0-7500 Kg



ROLLING MARKING MACHINES

- ▶ Perfect marking of round components
- ▶ A wide range of manual, electric or pneumatic machines



HOT MARKING



MB20E
Hand operated



MB21E
Pneumatic powered



MB21UE
Integrated machine

- ▶ Marking on plastic, leather, board and wood material...
- ▶ Possible marking with color transfer

Versatility and quickness

Reduced maintenance

SOME CUSTOMIZED APPLICATIONS...



Automatic hot stamping of plastic seals by pigment transfer



Circular typeholders steel cone marking (silencer)



Steel boiler part marking with a customized numbering and integrated part support

SIC Marking® ACTIVITIES

PERMANENT MARKING



CONVENTIONAL MARKING



DOT PEEN



SCRIBING



LASER

INDUSTRIAL VISION



INDUSTRIAL VISION

TURNKEY SOLUTIONS



TURNKEY SOLUTIONS



SIC Marking® equipment is available worldwide.
Contact us to be directed towards a distributor serving your area.

(2008/08) SIC Marking® reserves the right to modify equipment specifications at any time - This document is not contractual.



SIC Marking®
13, Route de Limonest
ZAC de la Braille
69380 LISSIEU - France
Tel. : +33 (0)4 72 54 80 00
Fax : +33 (0)4 78 47 39 40
www.sic-marking.com
info@sic-marking.com

